FIG.1A




FIG.1B






FIG.1D

FIG.1C



2ND OPTICAL FIRST OPTICAL PATH







FIG.3B

FIG.3C






FIG.3E




FIG.3D




FIG.3A





FIG.4






FIG.6

							0
						0	1.512
	_ m _ m_				0	1.520	1.586
֝֟֝֝֝֟֝֝֟֝֝֟֝֝֟֝֝֟֝֟֝֟֝֟֝֟֝֟֝֟֝֟ ֓֓֓֓֓֓֓֓	יד) ראן ק			0	1.532	1.601	3.095
	GROOVE DEPTH (EACH STEP) LKL / ITT		0	1.543	7.823 6.296 6.209 4.677 3.151 3.061	3.117 1.601 1.520	7.840 6.333 6.260 4.749 4.678 3.168 3.095 1.586 1.512
L,	IH (EA	0	1.570	6.367 6.273 4.726 3.184 1.639 1.543	3.151	4.637	4.678
ŗ	/E DEP	1.584	7.786 6.238 4.678 3.122 1.570	3.184	4.677	7.832 6.318 6.236 4.719 4.637	4.749
	GROCY GROCY	4.752 3.168 1.584	4.678	4.726	6.209	6.236	6.260
		4.752	6.238	6.273	6.296	6.318	6.333
		6.336	7.786	6.367	7.823	7.832	7.840
NCY [%]	ana	9.97	0.08	82.1	9.28	1.78	90.1
EFFICIENCY [%]	CD	99.9	95.1	92.6	95.4	95.1	96.1
NUMBER OF	STEPS N	5	9	7	8	6	10

FIG.7B FIG.7D **managar** TARTES AND THE STATE OF THE STA **FIG.7**C FIG.7A

FIG.8

_		1	Ι
[, , ,	/m m]	0	0
- 1	יל האברים האברים	1.383	1.383
	GROOVE DEPTH (EACH STEP)	1.185	2.765
1,	IH (EA	2.568	2.568
	VE DEP	3.950	5.333 3.950
	02K5	5.333	5.333
		5.135	6.715
		6.518	6.518
NCY [%]	QΛQ	77.4	78.0
EFFICIE	CD	90.2	90.2
NUMBER OF	STEPS N	8	8

FIG.9

NUMBER OF	EFFICIENCY	NCY [%]	
STEPS N	aэ	DVD	GROOVE DEPTH (EACH STEP) LKL // m]
SAWTOOTH -SHAPED	100.0	77.2	MAXIMUM GROOVE DEPTH 1.58 μ m




FIG.11




FIG.12

